

Eaton M1H11TR2G1

Catalog Number: M1H11TR2G1

Eaton Cooper Power series M-Force three-phase switch, 15.5 kV, 900A, 110 kV, 2.25" BC, 28' round pipe ., Sil rub, Steel - 1-pt lift, Ex 7' of cntrl rod, Hz up, Recip hndl w/ intr lock

General specifications



Photo is representative

Product Name	Catalog Number
Eaton Cooper Power series M-Force three-phase switch	M1H11TR2G1
	UPC
	194006088473
Product Length/Depth	Product Height
88 in	340 in
Product Width	Product Weight
22.4 in	0.001 lb
Compliances	Certifications
Not Applicable	IEEE Std 1247
	IEEE Std C37.34

Description

Control rod and mechanism

28' round pipe 1.0" O.D.

Crossarm material

Steel - single point lift

Insulator bolt pattern

2.25" BC

Material type

Silicone rubber

Switch type

M-Force switch

Electrical Ratings

Amperage Rating

900A

Basic impulse level

110 kV

Number of phases

Three-phase

Voltage rating

15.5 kV

M-Force Switch

M-force - optional configurations

Reciprocating handle with interlocks, Extra 7' of control rod

Mounting configuration (M-force only)

Horizontal upright

Operating handle configuration (M-force only)

Reciprocating

Resources

Application notes

[Line installation and protective equipment product application poster](#)

Specifications and datasheets

[Eaton Specification Sheet - M1H11TR2G1](#)

[Line installation and protective equipment specifiers guide](#)

[Overhead line installation and protective equipment specifiers guide](#)

[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)